

Designing A Web-Based Credit Application Information System (Study at One of The Sharia Financial Institutions in Bandung)

Hani Supriati¹; Haris Supriatna²

^{1,2}STMIK Mardira Indonesia, Bandung

¹Correspondence Email: haris@stmik-mi.ac.id

Abstract

In today's technological developments, the role of Internet media must be addressed. The ease of doing online activities certainly must be connected to the critical role of websites in it. One of the benefits of applying the Internet in the banking sector is simplifying work processes such as processing data for credit applications. The system being used to process data at one of the Sharia financial institutions in Bandung still needs to be better organized, so it is less effective and efficient, less accurate, or errors often occur, and also takes up much space for customer documents. Therefore, the author is interested in building a system expected to overcome the problems faced by one of the Sharia financial institutions in Bandung. This system was formulated as "Designing a Web-Based Credit Application Information System (Study at one of the Sharia financial institutions in Bandung)." The method the author uses is a qualitative descriptive method. The system development method that the author uses is the object-oriented method, namely OOSE. The author used PHP, MySQL, and XAMPP as tools to create this website. The results of this accounting information system application research can help simplify data processing at one of the Sharia financial institutions in Bandung that has been running so far.

Keywords: *Credit, OOSE, Website, PHP, MySQL, and XAMPP*

Introduction

A financial institution is a forum with services for managing finances for specific purposes. The role of financial institutions in life, especially banks, is vital. (Musti & Baporikar, 2023) As the largest Muslim country in the world, the need for banks that carry out their activities based on Sharia principles is essential, namely the rules of agreements based on Islamic law between banks and other parties for depositing funds and financing business activities or other activities that are declared to be following sharia. (Shuja et al., 2023) In carrying out their business, Islamic banks use a profit-sharing pattern, the primary basis for all their operations in funding, financing, and other products. (Ardalan et al., 2019; Jääskeläinen et al., 2022) Islamic bank products are similar but different from conventional ones because of the prohibition of usury, gharar, and maysir. Therefore, funding and financing products in Islamic banks must avoid these prohibited elements. (Khalequzzaman et al., 2023; Xu & Du, 2022)

The public's need for sharia banking institutions is relatively high. To meet the needs of the community, it is possible to establish sharia banks in the national banking system. (Adel & Younis, 2021) The existence of one of the Sharia financial institutions in Bandung is intended to be able to provide banking services quickly, easily, and simply to the community, mainly medium, small, and micro-entrepreneurs in both rural and urban areas whom public banking services have not reached. at one of the sharia financial institutions in Bandung, as a public trust institution whose business activities are based on sharia principles, it is hoped that it can carry out the mandate of the fund owners by channeling it into productive businesses in order to improve people's living standards. (Shin et al., 2023; Shoeb & Rahman, 2020)

In today's technological developments, the role of Internet media must be addressed. Almost all activities are made more accessible through Internet media. (De Sarkar, 2022; Sabar Rudiarto et al., 2022) The ease of activities via Internet media must be distinct from the critical role of websites. Internet applications can be made in government, health, education, industry, and even banking. (Anthony Jnr. et al., 2019) One of its

beneficial impacts in the banking sector is facilitating specific work processes, such as data processing for credit applications or requests. (Haolina et al., 2020; Ritchi et al., 2019)

One of the products offered at one of the Sharia financial institutions in Bandung is a business credit intended for individuals, small/micro businesses, and large businesses. (Asemi et al., 2021) One of the Sharia financial institutions in Bandung still needs to have a structured credit application system. Submissions are semi-computerized using Microsoft Excel, thus hampering the performance of one of the Sharia financial institutions in Bandung. This condition causes a slow exchange of information and losses due to errors in recording credit applications at one of the Sharia financial institutions in Bandung. (Chen et al., 2022; Zhang et al., 2021)

This condition can be overcome by a web-based credit application information system so that recording credit applications and calculations can be more effective and efficient so that they can be well documented. Because one of the Sharia financial institutions in Bandung still uses semi-computerization, the author is interested in taking the title in writing this final assignment, "Design of A Web-Based Credit Application Information System (Study At One Of The Sharia Financial Institutions In Bandung)."

Research Method

The research method used in writing this final assignment is descriptive research. Descriptive research is research carried out to describe one or more variables without the need to compare or vary the relationships between variables. In this regard, this research uses the following data and information collection techniques: literature study, field study, observation techniques, and interview techniques.

In carrying out this research, designing a Web-Based Credit Application Information System (Study at one of the Sharia financial institutions in Bandung) used an object-oriented system development method, namely the OOSE (Object-Oriented et al.) method. According to (Putra, 2018), OOSE (Object-Oriented et al.) is a development method for

building and validating application domain models or object-oriented systems. The Object-Oriented Software Engineering methodology emphasizes using use cases and software design.

Methods that contain elements from other Object Oriented. This method puts more emphasis on use cases. OOSE has three stages: creating requirements models and analysis, design and implementation, and model testing. The advantage of this method is that it is easy to learn because it has simple notation, covering all stages of software engineering.

Results and Discussion

After the system has been analyzed and designed in detail, it will move to the implementation stage. Implementation is the stage of placing the system to be ready to operate. The implementation aims to confirm the design modules so that users can provide input to the system builder. The recommended implementation scope includes software and hardware environments. The need for application design is the principal capital so that the design is by the previously built targets.

Software is a system support tool consisting of an operating system and database applications. The software used by the author in making this web-based application is as follows:

1. Windows 10 Operating System.
2. XAMPP Control Panel v3.2.1 as a local server.
3. MySQL as database.
4. PHP is a programming language for formulating programs.

Apart from software, authors also need hardware to run some software. The hardware specifications required to run this application are as follows:

1. PC/Laptop
2. Intel Processor (2.16 Ghz)

3. 15" monitor
4. Mouse
5. Keyboards

Brainware is one of the essential components in implementing a system and is usually in the form of human objects as the implementing staff consisting of:

1. Applicant, namely the person with access to the credit application process.
2. Admin, the person in charge of operating the system and entering, changing, or deleting data.

PHP is open source because the PHP open source code is available for free; this allows the developer community to continually make improvements, develop, and find bugs in the PHP language. Open source means we do not need to depend on a particular company (e.g., Windows to Microsoft) to release the next version if something needs to be fixed. We also do not have to pay purchase and upgrade costs, which are usually quite expensive.

Stability and compatibility. PHP runs stably on various operating systems such as UNIX (including Linux), Windows, and Macs. PHP integrates well with various web servers, including the most popular IIS and Apache.

PHP is also equipped with various other supports, such as direct support for various popular databases, an extensible architecture, and a processor that uses minimal resources on our computer compared to its competitors and can also display web pages quickly.

It is also important to remember that PHP's advantages may change over time because each program will try to improve its performance.


System testing is a process to find out where the deficiencies in the system are and whether they are by what was described in the previous

design. Testing of this system is carried out carefully so that the results obtained can benefit users.

In the operation of application programs, changes to the application often occur or even damage. This result can happen due to an error in the operation of the program or a request from the user, and Maintenance basically must always be there, of course, adjusted to the environment where the program is used, to maintain the stability and balance of the program which can produce the information needed by the user.

Programming is an activity that supports implementing a new system because a good and structured program can produce information according to needs. Before the program is implemented, it must first be tested to be free from errors that may occur. This testing can be carried out for each program module, followed by testing all modules to ensure that all modules are integrated properly and correctly. This section describes the appearance of the application program, which is designed according to the design made at the system design stage. From the existing system design, the author divides it into several display forms. The database used is MySQL. Here are screen captures of the database implementation:

1. Table Admin



The screenshot shows the MySQL Table Admin window for the 'id_admin' table. The table structure is displayed in a table format with columns for #, Name, Type, Collation, Attributes, Null, Default, Extra, and Action. The table has 8 columns: id_admin (char(25)), username (char(15)), password (text), nama_lengkap (char(35)), email (char(35)), no_telp (char(15)), alamat (text), and foto profil (varchar(100)). The 'id_admin' column is the primary key and has a unique index. The 'username' column has a unique index. The 'password' column has a unique index. The 'nama_lengkap' column has a unique index. The 'email' column has a unique index. The 'no_telp' column has a unique index. The 'alamat' column has a unique index. The 'foto profil' column has a unique index.

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	id_admin	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
2	username	char(15)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
3	password	text			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
4	nama_lengkap	char(35)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
5	email	char(35)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
6	no_telp	char(15)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
7	alamat	text			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
8	foto profil	varchar(100)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values

Figure 1. Admin Table

4. Guest Book Table

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	no_bukutamu	int(8)			No	None	AUTO_INCREMENT	Change Drop Primary Unique Index Spatial Fulltext More
2	nama_lengkap	char(35)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
3	email	char(35)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
4	pesan	text			No	None		Change Drop Primary Unique Index Spatial Fulltext More

☐ Check all With selected:

1 column(s) after pesan

Figure 4. Guest book table

5. Category Table


#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	id_kategori	int(10)			No	None	AUTO_INCREMENT	Change Drop Primary Unique Index Spatial Fulltext More
2	kategori	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More

☐ Check all With selected:

1 column(s) after kategori

Figure 5. Category Table

6. Credit Table




The screenshot shows the MySQL Table structure for the 'kredit' table. The table has 9 columns: id_kredit (int(25), primary key, auto-increment), id_pemohon (char(25)), id_aplikasi (char(25)), jenis_kredit (char(25)), jumlah_kredit (char(25)), jangka_waktu (int(8)), tujuan_kredit (varchar(50)), tgl_pengajuan (date), and status (char(50)).

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	id_kredit	int(25)			No	None	AUTO_INCREMENT	Change Drop Primary Unique Index Spatial Fulltext More
2	id_pemohon	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
3	id_aplikasi	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
4	jenis_kredit	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
5	jumlah_kredit	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
6	jangka_waktu	int(8)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
7	tujuan_kredit	varchar(50)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
8	tgl_pengajuan	date			No	None		Change Drop Primary Unique Index Spatial Fulltext More
9	status	char(50)			No	None		Change Drop Primary Unique Index Spatial Fulltext More

Figure 6. Credit Table

7. Applicant's Desk



The screenshot shows the MySQL Table structure for the 'pendaftaran' table. The table has 13 columns: id_pemohon (char(25), primary key), id_provinces (char(25)), id_regencies (char(4)), username (char(15)), email (char(35)), password (text), nama_lengkap (char(35)), alamat (text), kode_pos (char(10)), no_telp (char(15)), tgl_daftar (date), foto (varchar(100)), and sktif (char(5)).

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	id_pemohon	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
2	id_provinces	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
3	id_regencies	char(4)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
4	username	char(15)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
5	email	char(35)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
6	password	text			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
7	nama_lengkap	char(35)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
8	alamat	text			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
9	kode_pos	char(10)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
10	no_telp	char(15)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
11	tgl_daftar	date			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
12	foto	varchar(100)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
13	sktif	char(5)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values

Figure 7. Applicant Table

8. Message Desk

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	id_pesan	int(8)			No	None	AUTO_INCREMENT	Change Drop Primary Unique Index Spatial Fulltext More
2	id_admin	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
3	id_pemohon	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
4	email	char(35)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
5	subjek	varchar(75)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
6	tgl_kirim	date			No	None		Change Drop Primary Unique Index Spatial Fulltext More
7	status_kirim	char(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More

Figure 8. Message Table

9. Product Table

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	id_produk	int(10)			No	None	AUTO_INCREMENT	Change Drop Primary Unique Index Spatial Fulltext More
2	id_kategori	int(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
3	judul	char(50)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
4	harga	int(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
5	stok	int(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext More
6	isi	text			No	None		Change Drop Primary Unique Index Spatial Fulltext More
7	gambar	text			No	None		Change Drop Primary Unique Index Spatial Fulltext More
8	tanggal	int(30)			No	None		Change Drop Primary Unique Index Spatial Fulltext More


Figure 9. Product Table

10. Provincial Table

#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	id	char(2)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
2	name	varchar(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values

Figure 10. Provincial Table

11. District Table



#	Name	Type	Collation	Attributes	Null	Default	Extra	Action
1	id	char(4)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
2	province_id	char(2)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values
3	name	varchar(25)			No	None		Change Drop Primary Unique Index Spatial Fulltext Distinct values

Figure 11. District Table

The following is the appearance of the Web-Based Credit Application Information System program at BPRS Al-Ihsan:

1. Login Form




Figure 12. Applicant Login Form




Figure 13. Admin Login Form

2. Home Appearance



Figure 14. View of the Applicant's House




Figure 15. Home Admin display

3. About Us Menu Display



Figure 16. Vision and Mission Display



Figure 17. Organizational Structure Display

4. Contact Us display

Figure 18. Contact Us display

5. Submission Procedure Display

Figure 19. Display of Submission Requirements



Figure 20. Submission Flow Display

6. Account List View



Figure 21. Account List Display

7. Submission Form Display




Figure 22. Personal Data Form Display

Figure 23. Display of Company Data Form

Figure 24. Display of Credit Application Data Form

8. Upload Data View

Figure 25. Display of Personal File Upload Form

Figure 26. Display of the Guarantee File Upload Form

9. Credit Simulation Display

Figure 27. Credit Simulation Display

10. Guestbook View

Figure 28. Guestbook display

11. Applicant File Data Display




Figure 29. Applicant File Data

12. Admin List Data Display




Figure 30. Admin List Data

13. Display of Credit Application Data




Figure 31. Credit Application Data Display

14. Applicant Data Display

NO	ID PEMOHON	NAMA PEMOHON	USERNAME	EMAIL	ALAMAT	NO TELEPON	TGL DAFTAR	AKTIF	AKSI
1	PHN20008	hary	hary	hbruft@gmail.com	y	081765645434	2022-07-29	YES	

Figure 32. Applicant Data Display

15. Send Message View

NO	ID ADMIN	ID PEMOHON	EMAIL	ISI PESAN	TANGGAL DIKIRIM	STATUS PESAN
1	ADM001	PHN20008	hbruft@gmail.com	Pencahng	2022-07-29	Telah Dikirim
2	ADM001	PHN20008	hbruft@gmail.com	Pencahng	2022-07-29	Telah Dikirim

Figure 33. Send Message Display

Conclusion

Based on the discussion of research regarding the Credit Application Information System at one of the sharia financial institutions in Bandung, it can be concluded that designing a web-based credit application information system that will make it easier for applicants to obtain credit application information, as well as expedite operational work at one of the sharia financial institutions in Bandung. This research produces a system that is expected to reduce the use of physical documents, which results in too much paper being used so that many documents pile up and take up

much space. As well as preventing errors in the process of recording credit applications. Based on the results that have been obtained, suggestions in future research are that this credit application website program should be developed again into a better program, as well as adding other features that will be needed later, as well as the need for good system maintenance so that problems do not occur frequently.

References

- Adel, H. M., & Younis, R. A. A. (2021). Interplay among blockchain technology adoption strategy, e-supply chain management diffusion, entrepreneurial orientation and human resources information system in banking. *International Journal of Emerging Markets*. <https://doi.org/10.1108/IJOEM-02-2021-0165>
- Anthony Jnr., B., Abdul Majid, M., & Romli, A. (2019). Emerging case oriented agents for sustaining educational institutions going green towards environmental responsibility. *Journal of Systems and Information Technology*, 21(2), 186–214. <https://doi.org/10.1108/JSIT-10-2017-0083>
- Ardalan, A., Ardalan, R. K., Rao, S., & Alexander, K. B. (2019). An information system architecture for ensuring anonymity of student survey responses. *The International Journal of Information and Learning Technology*, 36(1), 52–65. <https://doi.org/10.1108/IJILT-02-2018-0011>
- Asemi, A., Ko, A., & Nowkarizi, M. (2021). Intelligent libraries: a review on expert systems, artificial intelligence, and robot. *Library Hi Tech*, 39(2), 412–434. <https://doi.org/10.1108/LHT-02-2020-0038>
- Chen, W., Bohouloul, S. M., Ma, Y., & Li, L. (2022). A blockchain-based information management system for academic institutions: a case study of international students' workflow. *Information Discovery and Delivery*, 50(4), 343–352. <https://doi.org/10.1108/IDD-01-2021-0010>
- De Sarkar, T. (2022). Access, organize and communicate: the strategic use of browser plugins in libraries. *Library Hi Tech News*, 39(7), 19–23. <https://doi.org/10.1108/LHTN-04-2022-0049>
- Haolina, G. A., Latief, Y., & Machfudiyanto, R. A. (2020). Comfort improvement of landscape and housekeeping components on government green building using Building Information Modeling (BIM) integrated web-based information system. *IOP Conference Series: Materials Science and Engineering*, 830(2), 022034.

<https://doi.org/10.1088/1757-899X/830/2/022034>

- Jääskeläinen, A., Sillanpää, V., Helander, N., Leskelä, R.-L., Haavisto, I., Laasonen, V., & Torkki, P. (2022). Designing a maturity model for analyzing information and knowledge management in the public sector. *VINE Journal of Information and Knowledge Management Systems*, 52(1), 120–140. <https://doi.org/10.1108/VJIKMS-01-2020-0017>
- Khalequzzaman, M., Ab Rahman, A., & Kamsin, A. (2023). An aspirational hope of a Shari‘ah-based microfinance model to alleviate extreme poverty. *International Journal of Islamic and Middle Eastern Finance and Management*. <https://doi.org/10.1108/IMEFM-03-2022-0116>
- Musti, K. S. S., & Baporikar, N. (2023). Industry 4.0-based enterprise information system for P2P lending. *Journal of Science and Technology Policy Management*, 14(1), 6–24. <https://doi.org/10.1108/JSTPM-06-2020-0093>
- Ritchi, H., Azis, Y., Adrianto, Z., Setiono, K., & Sanjaya, S. (2019). In-app controls for small business accounting information system: a study of domain understanding. *Journal of Small Business and Enterprise Development*, 27(1), 31–51. <https://doi.org/10.1108/JSBED-12-2018-0372>
- Sabar Rudiarto, Saruni Dwiasnati, & Agung Susilo Yuda Irawan. (2022). Design and build expert system applications using forward chaining methods to manage web-based space management. *Global Journal of Engineering and Technology Advances*, 10(2), 009–017. <https://doi.org/10.30574/gjeta.2022.10.2.0115>
- Shin, S. Il, Hall, D., Lee, K. Y., & Han, S. (2023). Exploring satisfaction with social networking sites through the lens of fan page visiting: uncertainty reduction and general systems theory perspective. *Information Technology & People*. <https://doi.org/10.1108/ITP-12-2020-0897>
- Shoeb, M. Z. H., & Rahman, M. M. (2020). Do not perish outdated CDS/ISIS data: ABCD ILS from the same family is there to make it alive. *The Electronic Library*, 38(5/6), 1095–1113. <https://doi.org/10.1108/EL-02-2020-0043>
- Shuja, A., Awan, M. I., & Saleem, I. (2023). Cotton Web Limited: a journey from disintegrated complaint handling to an efficient and robust e-complaint management system. *Emerald Emerging Markets Case Studies*, 13(2), 1–19. <https://doi.org/10.1108/EEMCS-11-2022-0440>
- Xu, F., & Du, J. T. (2022). Research on the drivers of undergraduates' intention to use university digital libraries: affinity theory as an additional construct of information system success model. *Library Hi*

Tech, 40(6), 1627–1641. <https://doi.org/10.1108/LHT-03-2021-0108>
Zhang, M., Huang, Q., Zhao, X., & Ma, L. (2021). The impact of information integration on purchase order finance and new product launch: a case study. *International Journal of Operations & Production Management*, 41(4), 359–382. <https://doi.org/10.1108/IJOPM-06-2020-0377>